UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,079	11/25/2003	Pantas Sutardja	MP0395	7976
	7590 03/20/200 CKEY & PIERCE P.L.	EXAMINER		
5445 CORPORATE DRIVE			OLSON, JASON C	
SUITE 200 TROY, MI 48098			ART UNIT	PAPER NUMBER
			2627	
			MAIL DATE	DELIVERY MODE
			03/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/722,079	SUTARDJA, PANTAS				
Office Action Summary	Examiner	Art Unit				
	JASON C. OLSON	2627				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 31 De	ecember 2007					
	action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
. 4)⊠ Claim(s) <u>See Continuation Sheet</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) <u>1-6,11-14,31-36,41-44,47-50,52-54,59-65,70-72,74-76,82,83,85-87 and 92-98</u> is/are allowed.						
6)⊠ Claim(s) <u>16-19,23-25 and 30</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>25 November 2003</u> is/ar						
Applicant may not request that any objection to the o	• ,	, ,				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)	<b></b>					
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)					
3) Information Disclosure Statement(s) (PTO/SB/08)  Topic Notice of Dransperson's Patent Drawing Review (PTO-946)  Notice of Informal Patent Application						
Paper No(s)/Mail Date 6)  Other:						

Continuation of Disposition of Claims: Claims pending in the application are 1-6,11-14,16-19,23-25,30-36,41-44,47-50,52-54,59-65,70-72,74-76,82,83,85-87 and 92-98.

## **DETAILED ACTION**

## Specification

The disclosure is objected to because of the following informalities: In the specification: paragraph [0028], line 4, recites "write amplifier 116", however, the write amplifier is reference number 114; paragraph [0033], line 5, recites "preamp circuit110", however, the preamp circuit is reference number 102. Appropriate correction is required.

## **Drawings**

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: "write enable signal (W)", see paragraph [0029], line 1.

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: "r/w" signal.

Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/722,079 Page 3

Art Unit: 2627

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 16-21, 23-25, and 30 are rejected under 35 U.S.C. 112, second paragraph, as

being indefinite for failing to particularly point out and distinctly claim the subject matter which

applicant regards as the invention.

Claim 16 recites the limitation "the read/write device" in lines 8 and 9-10. There is

insufficient antecedent basis for this limitation in the claim. The examiner is not sure if the

limitation is referring back to a read/write path or a data storage device.

Claims 17-21, 23-25 and 30 fall with claim 16.

Allowable Subject Matter

Claims 1-6, 11-14, 31-36, 41-44, 47-50, 52-54, 59-65, 70-72, 74-76, 82, 83, 85-87, and

92-98 are allowable over the prior art of record for the reasons given in the previous office

action, mailed 07/19/2007.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to JASON C. OLSON whose telephone number is (571)272-7560.

The examiner can normally be reached on Monday thru Thursday 7:30-5:30; alternate Fridays.

Application/Control Number: 10/722,079 Page 4

Art Unit: 2627

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Joseph H. Feild can be reached on (571)272-4090. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jason C Olson/

Primary Examiner, Art Unit 2627